

General Agriculture Application Information

For

LAWNS (NEW) Soil and Foliar Applications

Products:

The Bio-N-Liven Answer®

The Carbon Answer®

The Mineral Electrolyte Answer®

Note: Application rates are “general.”
They have been compiled over the previous 15 years
from field tests and long-term usage by growers.

Such tests are ongoing and this table will
be updated as more information
is made available.





THE ANSWER® 2005 PRODUCT APPLICATION RATES

LAWNS (NEW)

Application Area	The Answer® Products	Application Rate	Application Time	Dilution Rate	Method of Application	Field Observations
Soil	Bio-N-Liven Answer®	Fertile Soil: (24 fl. Oz./acre) Moderate Soil: (32 fl. Oz./acre) Problem Soil: (40 fl. Oz./acre)	Twice: First growth in Spring and in 4-6 weeks	Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used.	Broadcast: Aerial or ground. Spray evenly on soil using any conventional spray equipment. For best uptake, apply in evening or early morning. Heavy rain or aerial irrigation within 24 hours of application will diminish product effectiveness.	IMPROVED: Vigor of plant, regrowth, greener and thicker leaves, yield, protein content
Soil	Carbon Answer®	Fertile Soil: (24 fl. Oz./acre) Moderate Soil: (40 fl. Oz./acre) Problem Soil: (80 fl. Oz./acre)	Twice: First growth in Spring and in 4-6 weeks	Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used.	Broadcast: Aerial or ground. Spray evenly on soil using any conventional spray equipment. For best uptake, apply in evening or early morning. Heavy rain or aerial irrigation within 24 hours of application will diminish product effectiveness.	IMPROVED: Vigor of plant, regrowth, greener and thicker leaves, yield, protein content

APPLICATION COLOR GUIDE





THE ANSWER® 2005 PRODUCT APPLICATION RATES

LAWNS (NEW)

Application Area	The Answer® Products	Application Rate	Application Time	Dilution Rate	Method of Application	Field Observations
Foliar	Bio-N-Liven Answer®	(12 fl. Oz./acre)	Twice: First growth in Spring and in 4-6 weeks	Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used.	Broadcast: Aerial or ground. Spray evenly on soil using any conventional spray equipment. For best uptake, apply in evening or early morning. Heavy rain or aerial irrigation within 24 hours of application will diminish product effectiveness.	IMPROVED: Vigor of plant, regrowth, greener and thicker leaves, yield, protein content
Foliar	Carbon Answer®	(12 fl. Oz./acre)	Twice: First growth in Spring and in 4-6 weeks	Aerial - 1:20, 1:50 Ground - at least 1:100 Dilution rate may vary depending on the spray equipment used.	Broadcast: Aerial or ground. Spray evenly on soil using any conventional spray equipment. For best uptake, apply in evening or early morning. Heavy rain or aerial irrigation within 24 hours of application will diminish product effectiveness.	IMPROVED: Vigor of plant, regrowth, greener and thicker leaves, yield, protein content

APPLICATION COLOR GUIDE



SOIL



SEED



FOLIAR